

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

62100-2200

Status:

Active

Description:

Manual Press with IDT Ribbon Cable Tool Kit

Documents:

RoHS Certificate of Compliance (PDF)

General	
Product Family	Application Tooling
Series	T9999
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	N/A
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Tool Kit
UPC	884982115606

Material Info

Reference - Drawing Numbers	
Application Tooling Documents	TM-011316356, TM-621002200



image - Reference only

Series

<u>EU RoHS</u>	<u>China RoHS</u>
Compliance Status	
Not Reviewed	
REACH SVHC	
Not Reviewed	
Low-Halogen Status	
Not Reviewed	

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

T9999Series

Application Tooling Description	FAQ Product #
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 10 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key, with Locking Friction Ramp	0875681073
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 10 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization	0875681063

	Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681064 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 10 Circuits, 0.76µm Gold (Au) Selective Plating, without Center Polarization
	Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681074 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 10 Circuits, 0.76µm Gold (Au) Selective Plating, without Center Polarization
	Key, with Locking Friction Ramp 2.00mm Pitch Milli- 0875681263 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 12 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization
	Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681264 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 12 Circuits, 0.76µm Gold (Au) Selective Plating, without Center Polarization
	Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681273 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 12 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization
	Key, with Locking Friction Ramp 2.00mm Pitch Milli- 0875681274 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 12 Circuits, 0.76µm Gold (Au) Selective Plating, without

	Center Polarization Key, with Locking Friction Ramp 2.00mm Pitch Milli- 0875681443 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 14 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875681444 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 14 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875681463 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 14 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681493 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 14 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681494 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 14 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681643 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.38µm Gold (Au) Selective
--	--

	Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875681644 Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875681663 Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681664 Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.76µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681693 Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875681694 Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682043 Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.38µm
--	---

	Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875682044 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875682063 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682064 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.76µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682093 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682094 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682243 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 22
--	--

	Circuits, 0.38μm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875682244 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 22 Circuits, 0.76μm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875682263 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 22 Circuits, 0.38μm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682293 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 22 Circuits, 0.38μm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682294 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 22 Circuits, 0.76μm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682443 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 24 Circuits, 0.38μm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875682444 Grid™ Cable-to- Board Receptacle, Dual Row, IDT,
--	---

	Lead-Free, 24 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875682463 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 24 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682493 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 24 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682643 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 26 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875682644 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 26 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- 0875682663 Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 26 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- 0875682693 Grid™ Cable-to- Board Receptacle,
--	---

	Dual Row, IDT, Lead-Free, 26 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	
	2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 26 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875682694
	2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875683043
	2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875683044
	2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp	0875683063
	2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.76µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp	0875683064
	2.00mm Pitch Milli- Grid™ Cable-to-	0875683093

	Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	
	2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875683094
	2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875683443
	2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875683444
	2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp	0875683463
	2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875683493

2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875683494
---	------------

This document was generated on 04/24/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9