



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	ROWS	POWER					SIGNAL						POWER		E2
		E1	P1	P2	P3	P4	1	2	3	4	5	6	P5	P6	
51730-183-- NOTE 3	D C B A		PA	PA	PA	PA	UUUUUU	TTTTTT	TTTTTT	SSSSSS	SSSSSS	RRRRRR	PA	PA	



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
U	[6.86]	SIGNAL
T	[6.86]	SIGNAL
S	[6.86]	SIGNAL
R	[6.86]	SIGNAL
PA	[N/A]	POWER
F	[5.59]	SIGNAL
G	[5.59]	SIGNAL

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com	
ltr	ecn no.	dr	date					COPY		projection		title	
A	DG10-0328	PB	09/13/10	linear		0.X ±0.5						4P + 24S + 2P RIGHT ANGLE SOLDER HEADER	
				angles		0.XX ±0.25						product family	PwrBlade
				dr	PB Fu	09/13/10				scale		size	dwg no
				engr	Jerome Chen	09/13/10				1:1		A	51730-183
				chr	PM ZHENG	09/13/10							code
				appd	JOSEPH HSIA	09/13/10							213
sheet index	revision sheet	A	A	A	A								sheet 1 of 4
		1	2	3	4								

Pro/E


cage code 22526

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.


PRODUCT NUMBER
51730-183--
NOTE: 3




SECTION A-A
SCALE 2:1



SECTION C-C



SECTION B-B
SCALE 2:1



PARTIAL SECTION E-E

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecn no.	dr	date	linear		0.X ±0.5		COPY		www.fciconnect.com	
A						0.XX ±0.25		projection		title	
						0.XXX ±0.1				4P + 24S + 2P	
				angles		0° ±2°				RIGHT ANGLE SOLDER HEADER	
				dr	PB Fu	09/13/10		MIM		product family	PwrBlade
				enrg	Jerome Chen	09/13/10		scale		size	dwg no
				chr	PM ZHENG	09/13/10		1:1		A	51730-183
				appd	JOSEPH HSIA	09/13/10					
sheet index	revision sheet										

cage code 22526

Pro/E

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.

4

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.

A



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

B

PRODUCT NUMBER																																																																																																																																					
51730-183_- NOTE: 3																																																																																																																																					
NOTES:																																																																																																																																					
1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.																																																																																																																																					
CONNECTOR NOTES:																																																																																																																																					
2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC POWER CONTACT MATERIAL: COPPER ALLOY SIGNAL PIN MATERIAL: COPPER ALLOY																																																																																																																																					
3. SEE ITEM 1 & 2 IN PRINT 10064183 FOR PLATING SPEC OF 51730-183 AND 51730-183LF RESPECTIVELY.																																																																																																																																					
4. MANUFACTURER'S NAME, DATE CODE AND OPTIONAL P/N TO APPEAR ON THIS SURFACE. THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.																																																																																																																																					
5. PRODUCT SPECIFICATION GS-12-149. APPLICATION SPECIFICATION BUS-20-067.																																																																																																																																					
6. PACKAGED IN TRAYS.																																																																																																																																					
PCB NOTES:																																																																																																																																					
7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.																																																																																																																																					
8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.																																																																																																																																					
9. $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH 0.008 MIN SnPb OR Sn OVER 0.03 TO 0.08 Cu PLATING TO ACHIEVE $\varnothing 1.02 \pm 0.07$ HOLE.																																																																																																																																					
10. "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.																																																																																																																																					
11. CONNECTOR KEEP-OUT ZONE.																																																																																																																																					
<table border="1"><thead><tr><th colspan="4">mat'l code</th><th colspan="2">SEE NOTE</th><th colspan="2">tolerances unless otherwise specified</th><th colspan="2">CUSTOMER</th><th colspan="2">FCI</th></tr><tr><th>litr</th><th>ecn no.</th><th>dr</th><th>date</th><th></th><th></th><th></th><th></th><th>COPY</th><th></th><th colspan="2">www.fciconnect.com</th></tr></thead><tbody><tr><td>A</td><td></td><td></td><td></td><td>linear</td><td></td><td>$0.X \pm 0.5$</td><td></td><td>projection</td><td></td><td colspan="2">title 4P + 24S + 2P RIGHT ANGLE SOLDER HEADER</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>$0.XX \pm 0.25$</td><td></td><td></td><td></td><td colspan="2"></td></tr><tr><td></td><td></td><td></td><td></td><td>angles</td><td></td><td>$0.XXX \pm 0.1$</td><td></td><td></td><td></td><td colspan="2"></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>$0^\circ \pm 2^\circ$</td><td></td><td></td><td></td><td colspan="2"></td></tr><tr><td></td><td></td><td></td><td></td><td>dr</td><td>PB Fu</td><td>09/13/10</td><td></td><td>MIM</td><td></td><td>product family</td><td>PwrBlade</td></tr><tr><td></td><td></td><td></td><td></td><td>enrg</td><td>Jerome Chen</td><td>09/13/10</td><td></td><td></td><td></td><td>size</td><td>code</td></tr><tr><td></td><td></td><td></td><td></td><td>chr</td><td>PM ZHENG</td><td>09/13/10</td><td></td><td>scale</td><td></td><td>dwg no</td><td>213</td></tr><tr><td></td><td></td><td></td><td></td><td>appd</td><td>JOSEPH HSIA</td><td>09/13/10</td><td></td><td>1:1</td><td>A</td><td>51730-183</td><td>sheet 4 of 4</td></tr><tr><td>sheet index</td><td>revision sheet</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>		mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI		litr	ecn no.	dr	date					COPY		www.fciconnect.com		A				linear		$0.X \pm 0.5$		projection		title 4P + 24S + 2P RIGHT ANGLE SOLDER HEADER								$0.XX \pm 0.25$										angles		$0.XXX \pm 0.1$												$0^\circ \pm 2^\circ$										dr	PB Fu	09/13/10		MIM		product family	PwrBlade					enrg	Jerome Chen	09/13/10				size	code					chr	PM ZHENG	09/13/10		scale		dwg no	213					appd	JOSEPH HSIA	09/13/10		1:1	A	51730-183	sheet 4 of 4	sheet index	revision sheet										
mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI																																																																																																																											
litr	ecn no.	dr	date					COPY		www.fciconnect.com																																																																																																																											
A				linear		$0.X \pm 0.5$		projection		title 4P + 24S + 2P RIGHT ANGLE SOLDER HEADER																																																																																																																											
						$0.XX \pm 0.25$																																																																																																																															
				angles		$0.XXX \pm 0.1$																																																																																																																															
						$0^\circ \pm 2^\circ$																																																																																																																															
				dr	PB Fu	09/13/10		MIM		product family	PwrBlade																																																																																																																										
				enrg	Jerome Chen	09/13/10				size	code																																																																																																																										
				chr	PM ZHENG	09/13/10		scale		dwg no	213																																																																																																																										
				appd	JOSEPH HSIA	09/13/10		1:1	A	51730-183	sheet 4 of 4																																																																																																																										
sheet index	revision sheet																																																																																																																																				
cage code 22526																																																																																																																																					

A

B

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9