



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	ROWS	POWER						SIGNAL							POWER				E2	
		E1	P1	P2	P3	P4	P5	P6	1	2	3	4	5	6	7	P7	P8	P9		P10
51730-126-- NOTE 3	D C B A		PA	PA	PA	PA	PA	PA	UUUUUU	UUUUUU	UUUUUU	UUUUUU	UUUUUU	UUUUUU	UUUUUU	PA	PA	PA	PA	



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
U	[6.86]	SIGNAL
T	[6.86]	SIGNAL
S	[6.86]	SIGNAL
R	[6.86]	SIGNAL
PA	[N/A]	POWER
E	[5.59]	SIGNAL
X	OMITTED	OMITTED

mat'l code				SEE NOTE				tolerances unless otherwise specified				CUSTOMER			
lir	ecn no.	dr	date												
A	DG06-0214	JMG	05/31/06					linear	0.X ±0.3						
									0.XX ±0.10						
								angles	0.XXX ±0.050						
									0° ±2°						
								dr	JM GUO	05/31/06					
								enrg	SLUO	05/31/06					
								chr	BEER FU	05/31/06					
								appd	JOSEPH HSIA	05/31/06					
sheet index	revision sheet	A	A	A	A										
		1	2	3	4										

CONFIDENTIAL															
FCI								www.fciconnect.com							
COPY								projection							
MM								scale 1:1							
title								6P + 28S + 4P RIGHT ANGLE SOLDER HEADER							
product family								PwrBlade							
size								dwg no							
A								51730-126							
code								213							
sheet								1 of 4							

cage code 22526

Pro/E

PDM: Rev:A

STATUS: Released

Printed: Dec 20, 2010


Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER


51730-126--
NOTE: 3




BROKEN-OUT SECTION A-A
SCALE 2:1



BROKEN-OUT SECTION B-B
SCALE 2:1



SECTION C-C



PARTIAL SECTION E-E

CONFIDENTIAL

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com	
lir	ecr no.	dr	date					COPY				title	6P + 28S + 4P
A				linear		0.X ±0.3		projection				RIGHT ANGLE SOLDER HEADER	
						0.XX ±0.10						product family	PwrBlade
				angles		0.XXX ±0.050						code	213
						0° ±2°						size	dwg no
				dr	JM GUO	05/31/06		MM				A	51730-126
				enrg	SLUO	05/31/06		scale	1:1			sheet	2 of 4
				chr	BEER FU	05/31/06							
				appd	JOSEPH HSIA	05/31/06							
sheet index	revision sheet												

Pro/E

cage code 22526

PDM: Rev:A


STATUS: Released

Printed: Dec 20, 2010



PRODUCT NUMBER

51730-126--
NOTE: 3



RECOMMENDED PCB LAYOUT

CONFIDENTIAL

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com		
lfr	ecr no.	dr	date	linear	0.X ±0.3		projection	COPY	title 6P + 28S + 4P RIGHT ANGLE SOLDER HEADER					
A					0.XX ±0.10									
					0.XXX ±0.050									
				angles	0° ±2°			MM	product family		PwrBlade	code		
				dr	JM GUO	05/31/06			scale	A	size	dwg no	51730-126	213
				enrg	SLUO	05/31/06								sheet
				chr	BEER FU	05/31/06	3 of 4							
				appd	JOSEPH HSIA	05/31/06								
sheet index	revision sheet													

Pro/E

3

cage code 22526

4



PRODUCT NUMBER

51730-126--
NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED
HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
 3. 51730-126;51730-126LF;51730-126GLF PLATING SPEC. SEE PRINT:10064183
 4. MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON
THIS SURFACE.
 5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
 6. PACKAGED IN TRAYS.
- PCB NOTES:
7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
 8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
 9. $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH
0.008 MIN SnPb OVER 0.03
TO 0.08 Cu PLATING TO ACHIEVE
 $\varnothing 1.02 \pm 0.07$ HOLE.
 10. "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
 11. CONNECTOR KEEP-OUT ZONE.

CONFIDENTIAL

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI			
lfr	ecn no.	dr	date			COPY		www.fciconnect.com			
A				linear	$0.X \pm 0.3$ $0.XX \pm 0.10$ $0.XXX \pm 0.050$	projection		title 6P + 28S + 4P RIGHT ANGLE SOLDER HEADER			
				angles	$0^\circ \pm 2^\circ$			product family PwrBlade code 213			
				dr	JM GUO 05/31/06	MM		size dwg no 51730-126 sheet 4 of 4			
				engr	SLUO 05/31/06	scale	1:1				
				chr	BEER FU 05/31/06						
				appd	JOSEPH HSIA 05/31/06						
sheet index	revision sheet										

cage code 22526

Pro/E

PDM: Rev:A

STATUS: Released

Printed: Dec 20, 2010

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9