

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
B4		REVISED PER ECO-12-009257	29MAY2012	DD	DS
B5		REVISED PER ECO-13-020287	16JAN2014	DD	DS
B6		REVISED PER ECO-15-000098	06JAN2015	DD	DS
B7		REVISED PER ECO-15-003872	25MAR2015	DD	DS




ACCEPTS #3 SELF TAPPING THREAD FORMING SCREWS OR METRIC EQUIVALENT. DRIVE TO 0.6-0.8 N-m.

HOUSING COLORS ARE MECHANICALLY KEYED TO MATE ONLY WITH IDENTICALLY COLORED PLUG ASSEMBLIES.

3. HEADER MATES TO PLUG ASSEMBLY 776273 WHICH USES REELED TERMINAL 770520 OR LOOSE PIECE TERMINAL 770854

4 MATERIAL: GASKET - SILICONE
HEADER HOUSING - GLASS FILLED PBT
PINS - TIN OR GOLD PLATED BRASS


5 DATE CODE TO BE BRANDED ON THIS SURFACE PER TE SPEC 102-60. USE 5 DIGIT CODE: FIRST 2 DIGITS = YEAR, SECOND 2 DIGITS = WEEK, LAST DIGIT = DAY.





776267-1 & 1-776267-1 SHOWN

BLUE	DURAGOLD PLATED	1-776267-5
GRAY	DURAGOLD PLATED	1-776267-4
NATURAL	DURAGOLD PLATED	1-776267-2
BLACK	DURAGOLD PLATED	1-776267-1
BLUE	TIN PLATED	776267-5
GRAY	TIN PLATED	776267-4
NATURAL	TIN PLATED	776267-2
BLACK	TIN PLATED	776267-1
5	HEADER HOUSING COLOR	
	DESCRIPTION	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. DRUMMOND 18AUG2010	TE Connectivity	
DIMENSIONS:		CHK D. STRAUSSER 18AUG2010		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. STRAUSSER 18AUG2010	NAME	
	0 PLC ±.2	PRODUCT SPEC	HEADER ASSEMBLY, 14 POSITION, RIGHT ANGLE, AMPSEAL	
	1 PLC ±0.13	108-1329		
	2 PLC ±.1	APPLICATION SPEC	SIZE CAGE CODE DRAWING NO	
	3 PLC ±.1	114-16016		
	4 PLC ±.1	WEIGHT	A100779C=776267	
	ANGLES ±4°			
MATERIAL	FINISH	CUSTOMER DRAWING	SCALE	SHEET 1 OF 2
4	4		4:1	REV B7





REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-




SECTION A-A
OPTIONAL CONSTRUCTION IF
THICKNESS IS GREATER THEN 2.0




SECTION A-A
OPTIONAL CONSTRUCTION IF
THICKNESS IS GREATER THEN 2.0




776267-1 & 1-776267-1
KEY LOCATION
SCALE 2:1



776267-2 & 1-776267-2
KEY LOCATION
SCALE 2:1



776267-4 & 1-776267-4
KEY LOCATION
SCALE 2:1



776267-5 & 1-776267-5
KEY LOCATION
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. DRUMMOND 18AUG2010	TE Connectivity	
DIMENSIONS:		CHK D. STRAUSSER 18AUG2010		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. STRAUSSER 18AUG2010	NAME	
	0 PLC ±0.2	PRODUCT SPEC	HEADER ASSEMBLY, 14 POSITION, RIGHT ANGLE, AMPSEAL	
	1 PLC ±0.13	108-1329		
	2 PLC ±0.13	APPLICATION SPEC		
	3 PLC ±0.13	114-16016		
MATERIAL	FINISH	WEIGHT	A100779C=776267	
-	-	-	CUSTOMER DRAWING	
SCALE 4:1		SHEET 2 OF 2		REV B7

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9