







NOTES:

1. MATERIAL: SEE DETAILS
2. FINISHES: SEE DETAILS
3. PRODUCT SPECIFICATION: NOT REQUIRED
4. INCH DIMENSIONS ARE SHOWN IN BRACKETS [XXX].
5. "XX" REFERS TO QUANTITY OF CIRCUITS
6. ALL COMPONENTS ARE ROHS COMPLIANT.



4	XX	SCREW, #8-32X.250 PAN PH-SL W/SQ WASHER (-A-50 OPT)	STEEL	ZINC, CLEAR CHROMATE
3	XX	SCREW, #8-32 X.290 BINDING HEAD PHIL-SLOT (-A OPT)	BRASS	NICKEL
2	XX	TERMINAL, TT 8-32 SN/B	BRASS	TIN
1	1	INSULATOR, MOLDED MTG, INSUL. BASE	THERMOPLASTIC	BLACK
ITEM	QTY	DESCRIPTION	MATERIAL	FINISH

INITIAL RELEASE
EC NO: ETC2006-0503
2006/07/17
DRW:NEHLE
2006/07/19
CHKD: JMACNEIL
2006/07/20
APPR: RDEROSS

QUALITY SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.3	± ---
ANGULAR ± 2 °		

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM/IN

DRAWN BY	DATE
EHILE	2006/06/22
CHECKED BY	DATE
JMACNEIL	2006/06/22
APPROVED BY	DATE
RDEROSS	2006/06/22
MATERIAL NO.	SEE CHART

SCALE
2:1

DESIGN UNITS
INCH

THIRD ANGLE PROJECTION

TITLE
11.11MM [.438] SR BTS,
INSUL TURRET, ASSY,
OVERSIZED SCREW, -A

MOLEX MOLEX INCORPORATED

DOCUMENT NO.
SD-38731-002

SHEET NO.
1 OF 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

10

9

8

7

6

5

4

3

2

38731

NO. OF CIRCUITS "XX"	DIM. "A"		DIM. "B"		DIM. "C"		DIM. "D"		ASSEMBLY MATERIAL NO. (-A OPTION)	ASSEMBLY MATERIAL NO. (-A-50 OPTION)
	mm	INCH	mm	INCH	mm	INCH	mm	INCH		
02	43.5	1.71	11.11	0.438	33.34	1.313	24.5	0.97	387318902	387319102
03	54.6	2.15	22.23	0.875	44.45	1.750	35.7	1.40	387318903	387319103
04	65.7	2.59	33.34	1.313	55.56	2.188	46.8	1.84	387318904	387319104
05	76.8	3.03	44.45	1.750	66.68	2.625	57.9	2.28	387318905	387319105
06	87.9	3.46	55.56	2.188	77.79	3.063	69.0	2.72	387318906	387319106
07	99.1	3.90	66.68	2.625	88.90	3.500	80.1	3.15	387318907	387319107
08	110.2	4.34	77.79	3.063	100.01	3.938	91.2	3.59	387318908	387319108
09	121.3	4.78	88.90	3.500	111.13	4.375	102.3	4.03	387318909	387319109
10	132.4	5.21	100.01	3.938	122.24	4.813	113.4	4.47	387318910	387319110
11	143.5	5.65	111.13	4.375	133.35	5.250	124.6	4.90	387318911	387319111
12	154.6	6.09	122.24	4.813	144.46	5.688	135.7	5.34	387318912	387319112
13	165.7	6.53	133.35	5.250	155.58	6.125	146.8	5.78	387318913	387319113
14	176.8	6.96	144.46	5.688	166.69	6.563	157.9	6.22	387318914	387319114
15	188.0	7.40	155.58	6.125	177.80	7.000	169.0	6.65	387318915	387319115
16	199.1	7.84	166.69	6.563	188.91	7.438	180.1	7.09	387318916	387319116
17	210.2	8.28	177.80	7.000	200.03	7.875	191.2	7.53	387318917	387319117
18	221.3	8.71	188.91	7.438	211.14	8.313	202.3	7.97	387318918	387319118
19	232.4	9.15	200.03	7.875	222.25	8.750	213.5	8.40	387318919	387319119
20	243.5	9.59	211.14	8.313	233.36	9.188	224.6	8.84	387318920	387319120
21	254.6	10.03	222.25	8.750	244.48	9.625	235.7	9.28	387318921	387319121
22	265.7	10.46	233.36	9.188	255.59	10.063	246.8	9.72	387318922	387319122
23	276.9	10.90	244.48	9.625	266.70	10.500	257.9	10.15	387318923	387319123
24	288.0	11.34	255.59	10.063	277.81	10.938	269.0	10.59	387318924	387319124
25	299.1	11.78	266.70	10.500	288.93	11.375	280.1	11.03	387318925	387319125
26	310.2	12.21	277.81	10.938	300.04	11.813	291.2	11.47	387318926	387319126
27	321.3	12.65	288.93	11.375	311.15	12.250	302.4	11.90	387318927	387319127
28	332.4	13.09	300.04	11.813	322.26	12.688	313.5	12.34	387318928	387319128
29	343.5	13.53	311.15	12.250	333.38	13.125	324.6	12.78	387318929	387319129
30	354.6	13.96	322.26	12.688	344.49	13.563	335.7	13.22	387318930	387319130

INITIAL RELEASE EC NO: ETC2006-0503 DRMNEHLE 2006/07/17 CHKD: JMACNEIL 2006/07/19 APPR: RDEROSS 2006/07/20 A	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 2:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION					
				mm	INCH	DRAWN BY EHILE	DATE 2006/06/22						
		4 PLACES	± ---	± ---		CHECKED BY JMACNEIL	DATE 2006/06/22	11.11MM [.438] SR BTS, INSUL TURRET, ASSY, OVERSIZED SCREW, -A					
		3 PLACES	± ---	± .005		APPROVED BY RDEROSS	DATE 2006/06/22						
		2 PLACES	± 0.13	± .01		MATERIAL NO. SEE CHART		MOLEX INCORPORATED DOCUMENT NO. SD-38731-002					
		1 PLACE	± 0.3	± ---		SHEET NO. 2 OF 2							
		ANGULAR ± 2 °			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS											

9

8

7

6

5

4

3

2

1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9