






DOUBLE POLE





Technical drawing of a rectangular panel with the following dimensions and labels:

- Width: 1.156
- Height: 2.344
- Internal height: 2.250
- Labels:
 - SEAL GASKET (pointing to the outer border)
 - .500 DIA HOLE (.625 DIA MAX PANEL HOLE RECOMMENDED) (pointing to one of the four corner holes)
 - NO CONDUIT HOLE (pointing to the bottom center area)



SIDE ROTARY CAM TRACKING



LSZ51 TYPE LEVERS





LSZ55 TYPE LEVERS



LSZ54 TYPE LEVER

LSZ52 TYPE LEVER



LSZ59 TYPE LEVERS

NOTES

- 1 - ALSO AVAILABLE IN .250 X 1.500 DIA NYLON, BUT LEVER CANNOT BE INVERTED
- 2 - FOR ADDITIONAL ROLLER WIDTHS AND/OR DIAMETERS REFER TO (M)
- 3 - FOR ADDITIONAL TYPES OF ROLLERS AND LEVERS REFER TO LSZ CHART 1 (M)

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH A DIVISION OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH.

MICRO SWITCH
a Honeywell Division

FEEDING CODE 31829

CHART 1

LSY SERIES

THIRD ANGLE PROJECTION

SCALE NONE

DO NOT SCALE PRINT

UNLESS OTHERWISE SPECIFIED TOLERANCES ARE

ONE PLACE (.0) ± .030

TWO PLACE (.00) ± .015


THREE PLACE (.000) ± .005

ANGLES ±

WEIGHT


TOP ROTARY

SINGLE POLE





FLOUROSILICONE SEALS
LSYBB1 & LSYBB3

VITON SEALS
LSYBC1 & LSYBC3



DOUBLE POLE



FLOUROSILICONE SEALS
LSYBB2 & LSYBB4
LSYBB6 & LSYBB7 HAVE 1/2-14NPT
CONDUIT HOLE

VITON SEALS
LSYBC2 & LSYBC4, LSYBC6 & LSYBC7
HAVE 1/2-14NPT CONDUIT HOLE

PRETRAVEL MAX	SINGLE POLE 25°	DOUBLE POLE 25°
OVERTRAVEL MIN	110°	110°
DIFFERENTIAL TRAVEL MAX	10°	12°
OPERATING TORQUE MAX	2.5 IN. LBS	2.5 IN. LBS
TOTAL TRAVEL (REF)	135°	135°

ELECTRICAL RATINGS

10 AMP CONT.

A.C. VOLTAGE	AMPS AT .35 POWER FACTOR			
	SINGL. POL.		DOUBLE POL.	
	MAKE	BREAK	MAKE	BREAK
120	60	6	10	3
240	30	3	15	1.5
480	15	1.5	7.5	.75
600	12	1.2	6	.6

D.C. VOLTAGE	MAKE & BREAK INDUCTIVE	RESISTIVE
120	0.25	0.80
240	0.15	0.40


ELECTRONIC DUTY BASIC SWITCH
10 AMP CONT.

VOLTAGE	
5 AC OR DC MIN	.01 AMP MIN
600 AC	720 VA
240 DC	30 WATT


WIRING BASIC SWITCH (SAME POLARITY MUST BE OBSERVED FOR EACH POLE)

SINGLE POLE

MOMENTARY




MAINTAINED



SINGLE POLE


ELECTRONIC DUTY

MOMENTARY



ELECTRONIC DUTY

MAINTAINED




DIRECT ACTING




DOUBLE POLE

MOMENTARY



MAINTAINED



DIRECT ACTING (ALSO RATED AT A.C. 10
AMP CONT.)

D.C. VOLTAGE	MAKE AND BREAK AMPS	
	INDUCTIVE	RESISTIVE
30	4.2	4.2
120	1.1	1.1
240	.55	.55

NOTES:

1 - ALL UNITS AVAILABLE WITH
FLOUROSILICONE AND VITON SEALS

2 DIFFERENTIAL TRAVEL ON ALL
OPERATING CHARACTERISTICS NOT
APPLICABLE

SCALE NONE
DO NOT SCALE PRINT


MICRO SWITCH
FREEPORT, L.I., N.Y. U.S.A.
A DIVISION OF HONEYWELL
FID. MFG. CODE 91918

SWITCH - ENCLOSED



LSY SERIES
CHART 1

PLUNGER TYPE TOP


SINGLE POLE



DOUBLE POLE




SINGLE POLE PLUG-IN ONLY
WITH INDICATOR LAMP



— 180 X .400 LENS
(FLUSH WITH HOUSING)


FLOUROSILICONE SEALS
LSYCB1 & LSYCB3
VITON SEALS
LSYCC1 & LSYCC3

120 LAMP VOLTAGE -
LSYCB 5, LSYDB5, LSYVB5
LSYCC 5, LSYDC5, LSYVC5
240 LAMP VOLTAGE -
LSYCB8, LSYDB8, LSYVB8
LSYCC8, LSYDC8, LSYVC8




FLOUROSILICONE SEALS
LSYCB2 & LSYCB4
LSYCB6 & LSYCB7

VITON SEALS
LSYCC2 & LSYCC4,
LSYCC6 & LSYCC7




MANIFOLD MOUNT (PLUG-IN ONLY)
SINGLE POLE AND DOUBLE POLE
TYPE LSYA THROUGH LSYW SERIES



FLOUROSILICONE SEALS
LSYVB2 & LSYVB4,
LSYVB6 & LSYVB7

VITON SEALS
LSYVC2 & LSYVC4,
LSYVC6 & LSYVC7



NOTES:
1 - ALL UNITS AVAILABLE WITH
FLOUROSILICONE AND VITON SEALS

MICRO SWITCH
FREEDPORT INC., 2015 U.S.A.
A DIVISION OF MONEYSWELL
FED. MFG. CODE 91020

SWITCH - ENCLOSED

CHART 1

LSY SERIES






THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH A DIVISION OF
MONEYWELL THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH

DO NOT SCALE PRINT
SCALE NONE

SIDE PLUNGER TYPE


SINGLE POLE

DOUBLE POLE





120 LAMP VOLTAGE -
LSYFB5, LSYEB5, LSYWB5
LSYFC5, LSYEC5, LSYWC5

240 LAMP VOLTAGE -
LSYFB8, LSYEB8, LSYWB8
LSYFC8, LSYEC8, LSYWC8



MANIFOLD MOUNT (PLUG-IN ONLY)
SINGLE POLE AND DOUBLE POLE
TYPE LSYA THROUGH LSYW SERIES




NOTES:
1 - ALL UNITS AVAILABLE WITH
FLOUROSILICONE AND VITON SEALS

MICRO SWITCH
THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH, A DIVISION OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH, A DIVISION OF HONEYWELL.
FED. REG. CO. 9-438

SWITCH - ENCLOSED

LSY SERIES
CATALOG LISTING
CHART 1

SCALE NONE
DO NOT SCALE PRINT



INITIAL POSITION (FREE POSITION) }
OPERATING POINT } PRETRAVEL
FULL TRAVEL } DIFFERENTIAL TRAVEL
OVERTRAVEL

OPERATING POINT GIVEN IN RELATION TO TOP MOUNTING HOLE TOP PLUNGER TYPES

CHARACTERISTICS	LSYC PLUNGER		LSYD ROLLER PLUNGER		LSYV ADJ PLUNGER		SEQUENCE BASIC		
	SINGLE POLE	DOUBLE POLE	SINGLE POLE	DOUBLE POLE	SINGLE POLE	DOUBLE POLE	LSYC	LSYD	LSYV
PRETRAVEL (MAX)	.070		.070		.070		1ST STEP .070		
DIFFERENTIAL TRAVEL (MAX)	.015		.015		.015		2ND STEP .016 MIN ADD'L		
OVERTRAVEL (MIN)	.190		.190		.190		.015 EACH STEP		
OPERATING FORCE (MAX)	4 LBS		4 LBS		4 LBS		4 LBS		
OPERATING POINT	1.805 ± .030		2.200 ± .040		2.085 MIN 2.335 MAX		1ST STEP		
FULL OVERTRAVEL FORCE (MAX)	7 LBS		7 LBS		7 LBS		1.815±.030 2.210±.040 2.095 MIN / 2.345 MAX		


OPERATING POINT GIVEN IN RELATION TO CENTER OF HEAD SIDE PLUNGER TYPES

CHARACTERISTICS	LSYE PLUNGER		LSYF ROLLER PLUNGER		LSYW ADJ PLUNGER		LSYG PLUNGER MAINTAINED		SEQUENCE BASIC		
									LSYE	LSYF	LSYW
PRETRAVEL (MAX)	.100		.100		.100		.170		1ST STEP .100		
DIFFERENTIAL TRAVEL (MAX)	.045		.045		.045		.090		2ND STEP .020 MIN ADD'L		
OVERTRAVEL (MIN)	.190		.190		.190		.080		.025 EACH STEP		
OPERATING FORCE (MAX)	6 LBS		6 LBS		6 LBS		10 LBS		.170		
OPERATING POINT	1.300 ± .030		1.735 ± .040		1.615 MIN 1.865 MAX		1.480 ± .030		1ST STEP		
FULL OVERTRAVEL FORCE (MAX)	6 LBS		6 LBS		6 LBS		10 LBS		1.310±.030 1.745±.040 1.625 MIN / 1.875 MAX		


WOBBLE STICK

SINGLE POLE


DOUBLE POLE




**PLASTIC EXTENSION
TYPE 7A ACTUATOR**




**REPLACEMENT ACTUATOR
LSZ 4009**




**PLASTIC EXTENSION
TYPE 7A ACTUATOR**



**REPLACEMENT ACTUATOR
LSZ 4011**




**CABLE EXTENSION
TYPE 7N ACTUATOR**



**CABLE EXTENSION
TYPE 7N ACTUATOR**

MANIFOLD MOUNT (PLUG-IN ONLY)
SINGLE POLE AND DOUBLE POLE
TYPE LSYA THROUGH LSYW SERIES



NOTES:
1 - ALL UNITS AVAILABLE WITH
FLOUROSILICONE AND VITON SEALS

MICRO SWITCH
FREEPORT ILLINOIS U.S.A.
A DIVISION OF HONEYWELL

SWITCH-ENCLOSED

CHART 1


LSY SERIES

CATALOG LISTING

SCALE NONE
DO NOT SCALE PRINT


24 AUG 94	CHECK	SAF	12 SEP 74	CHECK	AK	19APR05	CHECK	PSR	10JUL07	RELEASE NO	CO-78499	REPLACES	LSY SERIES
-----------	-------	-----	-----------	-------	----	---------	-------	-----	---------	------------	----------	----------	------------

ISSUE	CATALOG LISTING
7	LSY SERIES CHART 1
PAGE	8 OF 10




REPLACEMENT ACTUATOR LSZ4010

SINGLE POLE PLUG-IN ONLY
WITH INDICATOR LAMP



120 LAMP VOLTAGE TYPE-LSYJB5 & LSYJC5
240 LAMP VOLTAGE TYPE-LSYJB8 & LSYJC8



WIRE EXTENSION TYPE 7M ACTUATOR

FLOUROSILICONE SEALS
LSYJB1 & LSYJB3

VITON SEALS
LSYJC1 & LSYJC3

WIRE EXTENSION TYPE 7M ACTUATOR

FLOUROSILICONE SEALS
LSYJB2 & LSYJB4


LSYJB6 & LSYJB7 HAVE 1/2-14 NPT CONDUIT HOLE

VITON SEALS LSYJC2 & LSYJC4
LSYJC6 & LSYJC7 HAVE 1/2-14 NPT CONDUIT HOLE

REPLACEMENT ACTUATOR LSZ 4010

CAT WHISKER

SINGLE POLE




FLOUROSILICONE SEALS
LSYKB1 & LSYKB3

VITON SEALS
LSYKC1 & LSYKC3

WIRE EXTENSION

*TYPE 8A ACTUATOR 5.5 IN.
TYPE 8B ACTUATOR 7.5 IN.
TYPE 8C COIL ACTUATOR 5.5 IN


SINGLE POLE PLUG-IN ONLY
WITH INDICATOR LAMP



FLOUROSILICONE SEALS
120 LAMP VOLTAGE
LSYKB5 CAT WHISKER LSYBB5 TOP ROTARY
240 LAMP VOLTAGE
LSYKB8 CAT WHISKER LSYBB8 TOP RATARY

VITON SEALS
120 LAMP VOLTAGE
LSYKC5 CAT WHISKER LSYBC5 TOP ROTARY
240 LAMP VOLTAGE
LSYKC8 CAT WHISKER LSYBC8 TOP ROTARY

DOUBLE POLE



FLOUROSILICONE SEALS
LSYKB2 & LSYKB4
LSYKB6 & LSYKB7
HAVE 1/2-14 NPT
CONDUIT HOLE

WIRE EXTENSION REPLACEMENTS

*TYPE 8A ACTUATOR 5.5 IN.-LSZ 4012
TYPE 8B ACTUATOR 7.5 IN.-LSZ 4013
TYPE 8C ACTUATOR 5.5 IN.-LSZ 4014

MICRO SWITCH
FREEDPORT ILLINOIS U.S.A.
A DIVISION OF HONEYWELL
FED. REG. CODE 91999

SWITCH-ENCLOSED

CHART 1

LSY SERIES


SCALE NONE
DO NOT SCALE PRINT

	CAT WHISKER			WOBBLE STICK		
	5 1/2" COIL	5 1/2" WIRE	7 1/2" WIRE	ROD	CABLE	WIRE
PRETRAVEL (APPROX) IN. RADIUS	2	2	4.5	1.0	1.5	4.0
OPERATING FORCE-OZ (MAX)	7.0	5.0	3.0	10.0	7.0	5.0

NOTE-
1 - ALL UNITS AVAILABLE WITH
FLOUROSILICONE AND VITON SEALS


CONVERSION BASES

SINGLE POLE (SIDE ROTARY) LSZ 4003






LSZ4003 CONVERSION BASE, WHEN USED WITH HEAVY DUTY LS WILL GIVE SAME TRACKING AS 201LS TYPE (LIMIT SWITCH NOT INCLUDED)

DOUBLE POLE (SIDE ROTARY) LSZ4004



LSZ4004 (FURNISHED ASSEMBLED) CONVERSION BASE, WHEN USED WITH HDLS WILL GIVE SAME TRACKING AS 301LS TYPE (LIMIT SWITCH NOT INCLUDED)

SINGLE POLE TOP PLUNGER LSZ4003



LSZ4003 CONVERSION BASE, WHEN USED WITH HDLS WILL GIVE SAME TRACKING AS 201LS TYPE (LIMIT SWITCH NOT INCLUDED)

TEMPERATURE LIMITATIONS FOR
DEVICES WITH FLUORSILICONE (LSYAB**) AND VITON (LSYAC**) SEALS

[illegible]

CODE: 1 SATISFACTORY 2 FAIR 3 DOUBTFUL 4 UNSATISFACTORY

① FLUORSILICONE SEAL (LSYAB**) FOR LOW TEMPERATURE APPLICATIONS

△ 2 VITON SEALS (LSYAC**) FOR FIRE-RESISTANT FLUIDS

△₃ ALL EXCEPT A60

	LOW LIMIT	HIGH LIMIT
LSYAB	-40° F	+250° F
LSYAC	+10° F	+250° F
LSYBB	-20° F	+250° F
LSYBC	+30° F	+250° F
LSYCB	-40° F	+200° F
LSYCC	+10° F	+250° F
LSYDB	-40° F	+200° F
LSYDC	+10° F	+250° F
LSYEB	- 40° F	+200° F
LSYEC	+10° F	+250° F
LSYFB	- 40° F	+200° F
LSYFC	+10° F	+250° F
LSYGB	-20° F	+200° F
LSYGC	+30° F	+250° F
LSYHB	-20° F	+250° F
LSYHC	+30° F	+250° F
LSYJB	-40° F	+250° F
LSYJC	+30° F	+250° F
LSYKB	-20° F	+250° F
LSYKC	+30° F	+250° F
LSYLB	-40° F	+250° F
LSYLC	+10° F	+250° F
LSYMB	-40° F	+250° F
LSYMC	+10° F	+250° F
LSYNB	-20° F	+250° F
LSYNC	+30° F	+250° F
LSYPB	-40° F	+250° F
LSYPC	+10° F	+250° F
LSYRB	-20° F	+250° F
LSYRC	+30° F	+250° F
LSYVB	-40° F	+200° F
LSYVC	+10° F	+250° F
LSYWB	- 40° F	+200° F
LSYWC	+10° F	+250° F

SCALE

DO NOT SCALE PRINT

UNCLASSIFIED//FOR OFFICIAL USE ONLY

SECRET

DATE: 11-11-1965 TIME: 10:10 AM

TOLL RANGES ARE
THE SAME AS THE PREVIOUS YEAR

1996-1997	100	1.000
1998-1999	100	1.000
2000-2001	100	1.000
2002-2003	100	1.000
2004-2005	100	1.000
2006-2007	100	1.000
2008-2009	100	1.000
2010-2011	100	1.000
2012-2013	100	1.000
2014-2015	100	1.000
2016-2017	100	1.000
2018-2019	100	1.000
2020-2021	100	1.000
2022-2023	100	1.000
2024-2025	100	1.000
2026-2027	100	1.000
2028-2029	100	1.000
2030-2031	100	1.000
2032-2033	100	1.000
2034-2035	100	1.000
2036-2037	100	1.000
2038-2039	100	1.000
2040-2041	100	1.000
2042-2043	100	1.000
2044-2045	100	1.000
2046-2047	100	1.000
2048-2049	100	1.000
2050-2051	100	1.000
2052-2053	100	1.000
2054-2055	100	1.000
2056-2057	100	1.000
2058-2059	100	1.000
2060-2061	100	1.000
2062-2063	100	1.000
2064-2065	100	1.000
2066-2067	100	1.000
2068-2069	100	1.000
2070-2071	100	1.000
2072-2073	100	1.000
2074-2075	100	1.000
2076-2077	100	1.000
2078-2079	100	1.000
2080-2081	100	1.000
2082-2083	100	1.000
2084-2085	100	1.000
2086-2087	100	1.000
2088-2089	100	1.000
2090-2091	100	1.000
2092-2093	100	1.000
2094-2095	100	1.000
2096-2097	100	1.000
2098-2099	100	1.000
2100-2101	100	1.000
2102-2103	100	1.000
2104-2105	100	1.000
2106-2107	100	1.000
2108-2109	100	1.000
2110-2111	100	1.000
2112-2113	100	1.000
2114-2115	100	1.000
2116-2117	100	1.000
2118-2119	100	1.000
2120-2121	100	1.000
2122-2123	100	1.000
2124-2125	100	1.000
2126-2127	100	1.000
2128-2129	100	1.000
2130-2131	100	1.000
2132-2133	100	1.000
2134-2135	100	1.000
2136-2137	100	1.000
2138-2139	100	1.000
2140-2141	100	1.000
2142-2143	100	1.000
2144-2145	100	1.000
2146-2147	100	1.000
2148-2149	100	1.000
2150-2151	100	1.000
2152-2153	100	1.000
2154-2155	100	1.000
2156-2157	100	1.000
2158-2159	100	1.000
2160-2161	100	1.000
2162-2163	100	1.000
2164-2165	100	1.000
2166-2167	100	1.000
2168-2169	100	1.000
2170-2171	100	1.000
2172-2173	100	1.000
2174-2175	100	1.000
2176-2177	100	1.000
2178-2179	100	1.000
2180-2181	100	1.000
2182-2183	100	1.000
2184-2185	100	1.000
2186-2187	100	1.000
2188-2189	100	1.000
2190-2191		

SECRET

103-10791

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH A DIVISION OF HONEYWELL THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH

MICRO SWITCH
FREEPORT ILLINOIS U S A
A DIVISION OF HONEYWELL
FED MFG CODE 91929

SWITCH - ENCLOSED

CATALOG LISTING
LSY SERIES
CHART 1

CATALOG LISTING		M		LSY SERIES CHART 1		PAGE 10 OF 10		RELEASE NO CO-78499		REPLACES LSY SERIES	
ISSUE		7						PSR		10JUL07	
REVISONS		A		199448		CST		10 JAN 00			
B		200704		CST		23 JUN 00					
C		200853		CST		21 JUL 00					
D		202198		CST		23 JAN 01					
E		0012601		SPK		19APR05		CHECK		AK 19APR05	
F		0031956		BS		10JUL07		CHECK		JAF 12 SEP 94	
G								CHECK		JAF 24 AUG 94	
H								CHECK		JAF 24 AUG 94	
I								CHECK		JAF 24 AUG 94	
J								CHECK		JAF 24 AUG 94	
K								CHECK		JAF 24 AUG 94	
L								CHECK		JAF 24 AUG 94	
M								CHECK		JAF 24 AUG 94	
N								CHECK		JAF 24 AUG 94	
O								CHECK		JAF 24 AUG 94	
P								CHECK		JAF 24 AUG 94	
Q								CHECK		JAF 24 AUG 94	
R								CHECK		JAF 24 AUG 94	
S								CHECK		JAF 24 AUG 94	
T								CHECK		JAF 24 AUG 94	
U								CHECK		JAF 24 AUG 94	
V								CHECK		JAF 24 AUG 94	
W								CHECK		JAF 24 AUG 94	
X								CHECK		JAF 24 AUG 94	
Y								CHECK		JAF 24 AUG 94	
Z								CHECK		JAF 24 AUG 94	
AA								CHECK		JAF 24 AUG 94	
AB								CHECK		JAF 24 AUG 94	
AC								CHECK		JAF 24 AUG 94	
AD								CHECK		JAF 24 AUG 94	
AE								CHECK		JAF 24 AUG 94	
AF								CHECK		JAF 24 AUG 94	
AG								CHECK		JAF 24 AUG 94	
AH								CHECK		JAF 24 AUG 94	
AI								CHECK		JAF 24 AUG 94	
AJ								CHECK		JAF 24 AUG 94	
AK								CHECK		JAF 24 AUG 94	
AL								CHECK		JAF 24 AUG 94	
AM								CHECK		JAF 24 AUG 94	
AN								CHECK		JAF 24 AUG 94	
AO								CHECK		JAF 24 AUG 94	
AP								CHECK		JAF 24 AUG 94	
AQ								CHECK		JAF 24 AUG 94	
AR								CHECK		JAF 24 AUG 94	
AS								CHECK		JAF 24 AUG 94	
AT								CHECK		JAF 24 AUG 94	
AU								CHECK		JAF 24 AUG 94	
AV								CHECK		JAF 24 AUG 94	
AW								CHECK		JAF 24 AUG 94	
AX								CHECK		JAF 24 AUG 94	
AY								CHECK		JAF 24 AUG 94	
AZ								CHECK		JAF 24 AUG 94	
BA								CHECK		JAF 24 AUG 94	
BB								CHECK		JAF 24 AUG 94	
BC								CHECK		JAF 24 AUG 94	
BD								CHECK		JAF 24 AUG 94	

CATALOG LISTING		M		LSY SERIES CHART 1		PAGE 10 OF 10		RELEASE NO CO-78499		REPLACES LSY SERIES	
ISSUE		7						PSR		10JUL07	
REVISONS		A		199448		CST		10 JAN 00			
B		200704		CST		23 JUN 00					
C		200853		CST		21 JUL 00					
D		202198		CST		23 JAN 01					
E		0012601		SPK		19APR05		CHECK		AK 19APR05	
F		0031956		BS		10JUL07		CHECK		JAF 12 SEP 94	
G								CHECK		JAF 24 AUG 94	
H								CHECK		JAF 24 AUG 94	
I								CHECK		JAF 24 AUG 94	
J								CHECK		JAF 24 AUG 94	
K								CHECK		JAF 24 AUG 94	
L								CHECK		JAF 24 AUG 94	
M								CHECK		JAF 24 AUG 94	
N								CHECK		JAF 24 AUG 94	
O								CHECK		JAF 24 AUG 94	
P								CHECK		JAF 24 AUG 94	
Q								CHECK		JAF 24 AUG 94	
R								CHECK		JAF 24 AUG 94	
S								CHECK		JAF 24 AUG 94	
T								CHECK		JAF 24 AUG 94	
U								CHECK		JAF 24 AUG 94	
V								CHECK		JAF 24 AUG 94	
W								CHECK		JAF 24 AUG 94	
X								CHECK		JAF 24 AUG 94	
Y								CHECK		JAF 24 AUG 94	
Z								CHECK		JAF 24 AUG 94	
AA								CHECK		JAF 24 AUG 94	
AB								CHECK		JAF 24 AUG 94	
AC								CHECK		JAF 24 AUG 94	
AD								CHECK		JAF 24 AUG 94	
AE								CHECK		JAF 24 AUG 94	
AF								CHECK		JAF 24 AUG 94	
AG								CHECK		JAF 24 AUG 94	
AH								CHECK		JAF 24 AUG 94	
AI								CHECK		JAF 24 AUG 94	
AJ								CHECK		JAF 24 AUG 94	
AK								CHECK		JAF 24 AUG 94	
AL								CHECK		JAF 24 AUG 94	
AM								CHECK		JAF 24 AUG 94	
AN								CHECK		JAF 24 AUG 94	
AO								CHECK		JAF 24 AUG 94	
AP								CHECK		JAF 24 AUG 94	
AQ								CHECK		JAF 24 AUG 94	
AR								CHECK		JAF 24 AUG 94	
AS								CHECK		JAF 24 AUG 94	
AT								CHECK		JAF 24 AUG 94	
AU								CHECK		JAF 24 AUG 94	
AV								CHECK		JAF 24 AUG 94	
AW								CHECK		JAF 24 AUG 94	
AX								CHECK		JAF 24 AUG 94	
AY								CHECK		JAF 24 AUG 94	
AZ								CHECK		JAF 24 AUG 94	
BA								CHECK		JAF 24 AUG 94	
BB								CHECK		JAF 24 AUG 94	
BC								CHECK		JAF 24 AUG 94	
BD								CHECK		JAF 24 AUG 94	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9