






LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			A1	ADDED DASH NUMBER -6	2NOV2011	LW	SZ



- 1 "AMP" PART NUMBER AND DATE CODE TO BE MARKED IN AREA SHOWN.
PARTS 2.00 OR LESS MAYBE MARKED ON BOTH SIDES.
- 2 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-O
POWER CONTACT - HIGH CONDUCTIVITY COPER ALLOY
- 3 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA
OF POWER AND SIGNAL CONTACTS
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 6 PCB - ALL HOLE DIMENSIONS ARE FINISHED HOLE SIZES
- 7 PCB - .0453±.0010 DRILLED HOLES. PLATED WITH .0003 MIN Sn OVER
.001 TO .003 Cu PLATING TO ACHIEVE A .040 DIA. HOLE
- 8 PLEASE REFER TO PARTS VIEW FOR DETAIL DIMENTIONS.



SECTION Z-Z




A1	8	-	-	-	-	-	2ACP+8S+4ACP+16S+2ACP+12S+2ACP	6450839-6
8	8	-	-	-	-	-	12P	6450839-4
8	8	-	-	-	-	-	44S+14P+40S	6450839-3
8	8	-	-	-	-	-	4S+17HDP+8S	6450839-2
8	8	-	-	-	-	-	8S+27P+8S	6450839-1
		DIM S	DIM R	DIM W	DIM K	DIM L	DESCRIPTION	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. YU 15OCT2008	TE Connectivity	
DIMENSIONS: INCHES		CHK S. ZHAO 15OCT2008	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. YAO	R/A HEADER ASSEMBLY GUIDELESS MULTI-BEAM XLE	
0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.2°		PRODUCT SPEC 108-2292 APPLICATION SPEC 114-13038	SIZE	
MATERIAL		WEIGHT	CAGE CODE	DRAWING NO
FINISH		CUSTOMER DRAWING	RESTRICTED TO	
2		3	A1	C-6450839
		SCALE	SHEET	REV
		4:1	1 OF 5	A2




PART NUMBER	ROWS	SIGNAL		POWER																											SIGNAL		
		I	2	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	P13	P14	P15	P16	P17	P18	P19	P20	P21	P22	P23	P24	P25	P26	P27	3	4	
6450839-1	D	J	J	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	J	J
	C	K	K																													K	K
	B	N	N																													N	N
	A	S	S																													S	S
8S + 27P + 8S																															S	S	



TM	STD .135 TAIL LENGTH,SOLDER TAIL
CODE	TAIL LENGTH
POWER CONTACT	


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN YU	150C12008	 TE Connectivity
		CNK S.ZHAO	150C12008	
DIMENSIONS: INCHES		APVD S.YAO	-	
 TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± . 1 PLC ± . 2 PLC ± .01 3 PLC ± .005 4 PLC ± .0020 - ANGLES ± °		NAME		
		R/A HEADER ASSEMBLY GUIDELESS MULTI-BEAM XLE		
		PRODUCT SPEC 108-2292		
		APPLICATION SPEC 114-13038		
MATERIAL -	FINISH -	WEIGHT -	A1	SIZE CAGE CODE DRAWING NO RESTRICTED TO C=6450839 -
CUSTOMER DRAWING			SCALE 4:1	SHEET 2 OF 5 REV. A2


LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-




PART NUMBER: 6450839-2

PART NUMBER	ROWS	S	POWER																	SIGNAL		
		I	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	P13	P14	P15	P16	P17	2	3	
6450839-2	D	J																		J	J	
	C	K	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	TM	K	K	
	B	N																		N	N	
	A	S																		S	S	
4S + 17HDP + 8S																						




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	T.YU		15OCT2008		 TE Connectivity		
		CHK	S.ZHAO		15OCT2008				
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	S.YAO		NAME R/A HEADER ASSEMBLY GUIDELESS MULTI-BEAM XLE		
INCHES				PRODUCT SPEC					
		0 PLC		±					
		1 PLC		±					
		2 PLC		±.01					
		3 PLC		±.005					
		4 PLC		±.0020					
ANGLES		±°							
MATERIAL		FINISH		WEIGHT		-			
-		-		-		-			
				CUSTOMER DRAWING					
				SCALE		4:1			
				SHEET		3			
				OF		5			
				REV		A2			




PART NUMBER: 6450839-4

ASSY PART NUMBER	POWER											
	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12
6450839-4	TW	TW	TW	TW	TW	TW	TW	TW	TW	TW	TW	TW
12P												



AI



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG. 150C12008 L.T.U. CHK. 150C12008 S.ZHAO APPR. S.YAO		 TE Connectivity	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED: DECIMAL ±.01 FRACTIONS ±.005 ANGLES ±.002		NAME R/A HEADER ASSEMBLY GUIDLESS MULTI-BEAM XLE	
		PRODUCT SPEC 108-2292 APPLICATION SPEC 114-13038		SIZE CAGE CODE DRAWING NO A1 - C-6450839	
MATERIAL -		FINISH -		RESTRICTED TO -	
		WEIGHT -		SCALE 4:1 SHEET 5 OF 5 REV A2	
CUSTOMER DRAWING					

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9