







Copyright FCI.

PRODUCT NO.	ROWS	POWER SIGNAL POWER											
		E1	P1	1	2	3	4	5	6	7	8	P2	E2
51730-240LF	D C B A		PA	UUUUUUUU	TTTTTTTT	SSSSSSSS	EEEEEEEE	PA					
				UUUUUUUU	TTTTTTTT	SSSSSSSS	EEEEEEEE						



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
U	[6.86]	SIGNAL
T	[6.86]	SIGNAL
S	[6.86]	SIGNAL
E	[5.59]	SIGNAL
R	[6.86]	SIGNAL
PA	[N/A]	POWER
HA	[N/A]	HOLD-DOWN

spec ref *		dr De-Ming Lu 2015/11/25				size A4	scale 1:1		
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED		eng De-Ming Lu 2015/12/03			ecn no -			
			chr Fancy Zhang 2015/12/03						
			appr Pei-Ming Zheng 2015/12/03			product family PwrBlade		rel level Released	
surface  ASME Y14.5	linear	0.X	±0.5		title IP + 32S + IP RIGHT ANGLE SOLDER HEADER	dwg no 51730-240	rev A		
		0.XX	±0.25						
		0.XXX	±0.1						
angular 0° ±2°		www.fci.com		cat. no. -		Product - Customer Drw		sheet 1 of 4	

PrintE File - REV C - 2009-06-09




PDS: Rev :A

STATUS:Released

Printed: Dec 03, 2015

PRODUCT NUMBER

51730-240LF


BROKEN-OUT SECTION A-A
SCALE 2:1BROKEN-OUT SECTION B-B
SCALE 2:1

SECTION C-C

dr	De-Ming Lu	2015/11/25	projection	MM	size	A4	scale	1:1
eng	De-Ming Lu	2015/12/03			ecn no	-		
chr	Fancy Zhang	2015/12/03			rel level	Released		
appr	Pei-Ming Zheng	2015/12/03	product family		PwrBlade			
		title			IP + 32S + IP		rev	
					RIGHT ANGLE SOLDER HEADER		A	
					dwg no		51730-240	
www.fci.com		cat. no.		-		Product - Customer Drw		sheet 2 of 4

PRODUCT NUMBER

51730-240LF



dr	De-Ming Lu	2015/11/25	projection	MM	size	A4	scale	1:1		
eng	De-Ming Lu	2015/12/03			ecn no	-				
chr	Fancy Zhang	2015/12/03								
appr	Pei-Ming Zheng	2015/12/03	product family		PwrBlade	rel level	Released			
FCI		title			IP + 32S + IP	dwg no		51730-240	rev	A
RIGHT ANGLE SOLDER HEADER										
www.fci.com		cat. no.		-	Product - Customer Drw				sheet 3 of 4	



Copyright FCI.

PRODUCT NUMBER

51730-240LF

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC

POWER CONTACT MATERIAL: COPPER ALLOY

SIGNAL PIN MATERIAL: COPPER ALLOY

3. SEE FCI PLATING SPEC 10064183.

4. MANUFACTURER'S NAME, DATE CODE AND OPTIONAL P/N TO APPEAR ON
THIS SURFACE. THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH
SPACE ON THIS SURFACE.

5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.

6. PACKAGED IN TRAYS.

PCB NOTES:


7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.

8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.

9. $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH
0.008 MIN SnPb OR Sn OVER 0.03
TO 0.08 Cu PLATING TO ACHIEVE
 $\varnothing 1.02 \pm 0.07$ HOLE.

10. CONNECTOR KEEP-OUT ZONE.

11. DATUM AND BASIC DIMENSIONS ARE ESTABLISHED BY CUSTOMER.

dr	De-Ming Lu	2015/11/25	projection 	MM 	size	A4	scale	1:1				
eng	De-Ming Lu	2015/12/03			ecn no -							
chr	Fancy Zhang	2015/12/03										
appr	Pei-Ming Zheng	2015/12/03	product family		PwrBlade	rel level		Released				
		title			IP + 32S + IP			dwg no	51730-240	rev	A	
RIGHT ANGLE SOLDER HEADER												
www.fci.com		cat. no.	-		Product - Customer Drw				sheet 4 of 4			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9