



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.

FCI

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	ROWS	POWER					SIGNAL						E2	
		E1	P1	P2	P3	P4	P5	1	2	3	4	5		6
51712-010-- NOTE: 3	D C B A													



CODE	DIM "M" MATING LENGTH		CONTACT TYPE
PA	N/A	[N/A]	POWER
E	.270	[6.86]	SIGNAL
H	.220	[5.59]	SIGNAL

mat'l code SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com				
ltr	ecn no.	dr	date	linear	.XX±.01/0.X±0.3	COPY		projection 	title 5P + 24S VERTICAL STB HEADER			
A	DG06-0065	JMG	02/21/06		.XXX±.005/0.XX±0.13							
					.XXX±.0020/0.XXX±0.051							
				angles	0° ± 2°			INCH/MM 	product family PwrBlade		code	
				dr	JM GUO	02/21/06			size	dwg no	213	
				enrg	SLUO	02/21/06					sheet	
				chr	BEER FU	02/21/06	scale 1:1		A 51712-010		1 of 4	
				appd	JOSEPH HSIA	02/21/06						
sheet index	revision sheet		A 1	A 2	A 3	A 4						

Pro/E

3

cage code
22526

4

PDM: Rev:A

STATUS: Released

Printed: Dec 20, 2010

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.




A
FCI

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.


A

B

PRODUCT NUMBER
51712-010__
NOTE: 3



SECTION C-C
SCALE 2:1

mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		A FCI www.fciconnect.com			
ltr	ecn no.	dr	date	linear	.XX $\pm$.01/0.X $\pm$ 0.3		COPY		projection 	title			
A					.XXX $\pm$.005/0.XX $\pm$ 0.13					5P + 24S			
					.XXXX $\pm$.0020/0.XXX $\pm$ 0.051					VERTICAL STB HEADER			
				angles	0 $^{\circ}$ $\pm$ 2 $^{\circ}$								
				dr	JM GUO	02/21/06	INCH/MM		product family		PwrBlade		code
				enrg	SLUO	02/21/06			size	dwg no		213	
				chr	BEER FU	02/21/06	scale		A	51712-010		sheet	
				appd	JOSEPH HSIA	02/21/06	1:1					2 of 4	
sheet index		revision sheet											

A

B

Pro/E

3

cage code 22526

4

PDM: Rev:A

STATUS: Released

Printed: Dec 20, 2010

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.

A


A

FCI

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

B

PRODUCT NUMBER
51712-010--
NOTE: 3



A

B

material code				tolerances unless otherwise specified		CUSTOMER		FCI			
SEE NOTE 2						COPY		www.fciconnect.com			
ltr	ecn no.	dr	date	linear	.XX±.01/0.X±0.3	projection		title			
A					.XXX±.005/0.XX±0.13			5P + 24S			
					.XXX±.0020/0.XXX±0.051			VERTICAL STB HEADER			
				angles	0°±2°	INCH/MM		product family			
				dr	JM GUO 02/21/06			PwrBlade			
				enr	SLUO 02/21/06			code			
				chr	BEER FU 02/21/06	scale	1:1	size			
				appd	JOSEPH HSIA 02/21/06			dwg no			
								A 51712-010			
sheet index		revision sheet						3 of 4			

Pro/E

3

cage code 22526

4

PDM: Rev:A

STATUS: Released

Printed: Dec 20, 2010

PRODUCT NUMBER
51712-010--
NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

2 HOUSING MATERIAL: UL 94 V-0 GLASS FILLED
HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY

3. 51712-010;51712-010LF;51712-010GLF PLATING SPEC. SEE PRINT:10064183

4 MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON
THIS SURFACE.

5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.

6. PACKAGED IN TRAYS.

PCB NOTES:



7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.

8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.

9 $\varnothing .0453 \pm .0010$ [1.151 $\pm$ 0.025] DRILLED HOLES PLATED WITH
.0003 [0.008] MIN SnPb OVER .001 [0.03]
TO .003 [0.08] Cu PLATING TO ACHIEVE
 $\varnothing .040 \pm .003$ [1.02 $\pm$.07] HOLE.

10 "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.

11 CONNECTOR KEEP-OUT ZONE.

mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		A FCI www.fciconnect.com		
ltr	ecn no.	dr	date	linear	.XX $\pm$.01/0.X $\pm$ 0.3		COPY		projection 	title 5P + 24S VERTICAL STB HEADER		
A					.XXX $\pm$.005/0.XX $\pm$ 0.13							
					.XXX $\pm$.0020/0.XXX $\pm$ 0.051							
				angles	0 $^{\circ}$ $\pm$ 2 $^{\circ}$							
				dr	JM GUO	02/21/06	INCH/MM		product family		PwrBlade	code
				enrg	SLUO	02/21/06	scale		size	dwg no	213	
				chr	BEER FU	02/21/06	1:1		A	51712-010	sheet	
				appd	JOSEPH HSIA	02/21/06					4 of 4	
sheet index	revision sheet											

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9