






Amphenol
FCi


© 2016 AFCi

spec ref		-		dr		Sunny2 Liu		2016/06/01		projection				MM		size		A2		scale		4:1	
tolerance std		-		eng		Sunny2 Liu		2016/06/08						ecn no		-		rel level		Released			
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		Terris Liu		2016/06/08															
				appr		Pei-Ming Zheng		2016/06/08															
										product family		CARD EDGE											
surface		-		linear		0.X		±0.5		Amphenol FCI		title		HPCE STMT RECPT		dwg no		10139866		rev		A	
				0.XX		±0.25																	
				0.XXX		±0.10																	
ASME Y14.5				angular		0°		±2°						cat. no.		-		Product - Customer Drw		sheet 1 of 4			

PDS: Rev :A

STATUS:Released

Printed: Jun 08, 2016




PDS: Rev :A

STATUS⁷:Released

Printed: Jun 08, 2016



spec ref		-		dr		Sunny2 Liu		2016/06/01		projection		MM		size		A2		scale		2:1	
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Sunny2 Liu		2016/06/08						ecn no		-		rel level		Released	
ASME Y14.5				chr		Terris Liu		2016/06/08													
				appr		Pei-Ming Zheng		2016/06/08		product family		-									
surface		linear		Amphenol FCI		title		HPCE STMT RECPT 22LP24S OMITTED 4LP		dwg no		10139866		rev		A					
		0.X																±0.5			
		0.XX																±0.25			
ASME Y14.5		angular																			
		0°		±2°																	



RECOMMENDED MATING BOARD
DIMENSION TOLERANCE IS 0.05MM



spec ref -				dr Sunny2 Liu		2016/06/01		projection		MM		size A2		scale 1:1			
tolerance std -				eng Sunny2 Liu		2016/06/08						ecn no -		rel level Released			
ASME Y14.5				TOLERANCES UNLESS OTHERWISE SPECIFIED		chr Terris Liu										2016/06/08	
				appr Pei-Ming Zheng		2016/06/08										product family -	
surface -		linear		0.X		±0.5		Amphenol FCI		title HPCE STMT RECPT 22LP24S OMITTED 4LP		dwg no 10139866		rev A			
				0.XX		±0.25											
				0.XXX		±0.10											
ASME Y14.5		angular		0°		±2°		cat. no. -		Product - Customer Drw				sheet 3 of 4			

PART NUMBER	FEATURE A HOST BOARD ALIGNMENT KEY (SEE NOTE 7)	FEATURE B FRONT ORIENTATION KEY	FEATURE C MOUNTING EARS
10139866-001LF	NO	NO	YES
10139866-002LF	YES		
10139866-003LF	NO	YES	
10139866-004LF	YES		



NOTES:

1. CONNECTOR MATERIALS:
- HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, BLACK
UL 94V-0 COMPLIANT
CONTACTS: HIGH PERFORMANCE COPPER ALLOY.
2. CONTACT FINISH REF. GS-12-604 SECTION 5.2.
3. PRODUCT SPECIFICATION: GS-12-604.
4. APPLICATION SPECIFICATION: GS-20-128.
5. PRODUCT MARKING ON HOUSING IN AREA SHOWN MEETS AFCI SPECIFICATION: GS-24-007.
6. PACKAGING MEETS FCI SPECIFICATION: GS-14-937.
7. HOST BOARD ALIGNMENT KEY IS RECOMMENDED TO ENSURE PROPER ALIGNMENT OF SOLDER TAILS WITH HOST BOARD PADS.

spec ref		-		dr		Sunny2 Liu		2016/06/01		projection				MM		size		A2		scale		4:1	
tolerance std		-		eng		Sunny2 Liu		2016/06/08						ecn no		-		rel level		Released			
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		Terris Liu		2016/06/08															
				appr		Pei-Ming Zheng		2016/06/08		product family		CARD EDGE											
surface		-		linear		0.X		±0.5		Amphenol FCI		title		HPCE STMT RECPT 22LP24S OMITTED 4LP		dwg no		10139866		rev		A	
				0.XX		±0.25																	
				0.XXX		±0.10																	
ASME Y14.5				angular		0°		±2°		cat. no.		-		Product - Customer Drw				sheet 4 of 4					

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9