





LOC		DIST		REVISIONS				
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		B		REV PER ECR-11-017732	26AUG2011	CZ	SY	
		B1		ADDED THE DASH NUMBER -4	27JUL2012	ML	SZ	



- 1 "AMP", PART NUMBER, AND DATECODE TO BE MARKED IN AREA SHOWN.
PARTS UNDER 2.00[50.8] LONG MAY BE MARKED ON BOTH SIDES.
- 2 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC,BLACK, UL94 V-0
SIGNAL CONTACT - COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY}
- 3 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL
AREA OF POWER AND SIGNAL CONTACTS.
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE.
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6 PCB - HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- 7 PCB - .0453±.0010[1.151±0.025] DRILLED HOLES PLATED WITH .0003[0.008] MIN Sn
OVER .001[0.03] TO .003[0.08] Cu PLATING TO ACHIEVE A .040[1.02] DIA HOLE.
- 8 VARIABLE DIMENSIONS SHOWN ON PART VIEW




.250	1.440	1.300	1.090	1.200	.345	4P	6450873-4
△8	1.460	1.320	1.110	-	.3275△8	6 LP	6450873-3
.230△8	5.960	5.820	5.610	-	.2775△8	24 LP	6450873-2
.200	1.390	1.250	1.040	1.150	.320	4HDP	6450873-1
DIM S	DIM L	DIM V	DIM U	DIM D	DIM K	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN T. LEE 10MAR2010	TE Connectivity		
DIMENSIONS: INCHES[MM]				CHK S. ZHAO 10MAR2010			
TOLERANCES UNLESS OTHERWISE SPECIFIED:				APVD S. ZHAO			
0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.2° FINISH				PRODUCT SPEC 108-2292 APPLICATION SPEC 114-13251 WEIGHT -			
MATERIAL △2				CUSTOMER DRAWING			RESTRICTED TO -
				SCALE 4:1			SHEET 1 OF 3
							REV B2



LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET I	-	-	-

PART NUMBER	ROWS		POWER				
			P4	P3	P2	P1	
6450873-1	D		RA	RA	RA	RA	
	C						
	B						
4HDP	A	HD					HD

0.350



PART NUMBER	ROWS		LOW POWER																								
			LP24	LP23	LP22	LP21	LP20	LP19	LP18	LP17	LP16	LP15	LP14	LP13	LP12	LP11	LP10	LP9	LP8	LP7	LP6	LP5	LP4	LP3	LP2	LP1	
6450873-2	D		LM	LM	LM	LM	LM	LM	LM	LM	LM	LM	LM	LM	LM	LM	LM	LM	LM	LM	LM	LM	LM	LM	LM	LM	
	C																										
	B																										
	A																										
24 LP																											






LOWER POWER CONTACT, .135 TAIL LENGTH	LM
POWER CONTACT, MFB, .135 TAIL LENGTH	RA
POWER CONTACT, STD, .135 TAIL LENGTH	RM
HOLD DOWN	HD
DESCRIPTION	IDENTIFIER

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN	LEE	10MAR2010		TE Connectivity					
DIMENSIONS:			CHK	S. ZHAO	10MAR2010		NAME	RIGHT ANGLE RECEPTACLE WITH LP SHORT END MODULAR, SOLDER MULTI-BEAM XLE				
INCHES[MM]			APVD	S. ZHAO	-							
			PRODUCT SPEC									
			108-2292				SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
			APPLICATION SPEC									
			114-13251									
			ANGLES				WEIGHT	CUSTOMER DRAWING	SCALE	SHEET	OF	REV
			FINISH									
MATERIAL												
							A1	100779	C6450873	-	B2	

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
ES	00	-	-	SEE SHEET 1	-	-

PART NUMBER	ROWS		LOW POWER						
			LP6	LP5	LP4	LP3	LP2	LP1	
6450873-3	D	C	LM	LM	LM	LM	LM	LM	D
	C								
	B								
	A								
6 LP									

PART NUMBER	ROWS		POWER				
			P4	P3	P2	P1	
6450873-4	D		RM	RM	RM	RM	
	C						
	B						
	A						
4P		HD					



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
T. LEE
10MAR2010

CHK
S. ZHAO
10MAR2010

APVD
S. ZHAO

DIMENSIONS:
INCHES[MM]

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±.01
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°
FINISH

PRODUCT SPEC
108-2292

APPLICATION SPEC
114-13251

WEIGHT

CUSTOMER DRAWING

NAME
RIGHT ANGLE RECEPTACLE WITH LP
SHORT END MODULAR, SOLDER
MULTI-BEAM XLE

SIZE
A1

CAGE CODE
00779

DRAWING NO
C=6450873

RESTRICTED TO
-

SCALE
4:1

SHEET
3

OF
3

REV
B2

TE Connectivity

TE

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9