







PART NUMBER	DESCRIPTION
180250-0000	ILLUMITEX 500 LED HOLDER WITHOUT COVER
180250-0001	ILLUMITEX 500 LED HOLDER WITH COVER






- NOTES:
- MATERIALS:
 - CAPS: NATURAL COLOR PA66 NYLON 25% GF UL94V-0
 - HOUSING: NATURAL COLOR PA66 NYLON 25% GF UL94V-0
 - COVER: NATURAL COLOR PA66 NYLON 25% GF UL94V-0
 - WIRE TRAP TERMINALS: COPPER ALLOY
 - FINISH: GOLD OVER NICKEL
 - THIS PRODUCT IS ELV AND ROHS COMPLIANT
 - APPLICABLE WIRE GAUGE - 20 AWG
 - SOLID WIRE IS RECOMMENDED
 - IF STRANDED WIRE IS USED, PRE-TINNED IS RECOMMENDED
 - 1 cm STRIP LENGTH IS RECOMMENDED
 - MOUNT HOLDER USING M2 SCREWS (2), 0.8 NEWTON METERS MAX TORQUE
 - FOR POTTED APPLICATIONS, THE ENCAPSULANT MUST NOT ENTER THE WIRE TRAP OR CONTACT BEAM CAVITIES. ENCAPSULANT IN THESE AREAS MAY PREVENT ELECTRICAL CONTACT
 - UL RECOGNIZED TO UL496
 - UL RECOGNIZED TO CSA-C22.2 NO. 43 (2008)
 - RATED 600V
 - UL FILE NUMBER E345583, UL-OLFB2

ENTER DESCRIPTION EC NO: SSL2012-0041 CHKD: JAKLIC APPR: DMCGOWAN		2011/11/01 2011/11/02	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
							MM ONLY		2:1	METRIC		
A1	REV			F _A =0 F _G =0 F _P =0			DRAWN BY DATE		TITLE ILLUMITEX 500 LED HOLDER			
							FJAKLIC 2011/06/08					
					4 PLACES ± --- ± ---		CHECKED BY DATE					
					3 PLACES ± --- ± ---							
					2 PLACES ± 0.13 ± ---							
1 PLACE ± 0.25 ± ---		APPROVED BY DATE		MOLEX MOLEX INCORPORATED								
ANGULAR ± 1/2°		DMCGOWAN 2011/06/21										
						MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
						SEE CHART		SD-180250-001		1 OF 2		
						SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

WIRE TRAP CAPS REMOVED FROM FRONT VIEW FOR CLARITY




LED HOLDER PART NUMBER 180250-0000



VIEW OF TWO-WAY WIRE TRAP
WIRE TRAPS ACCOMMODATE 20 GAUGE WIRE

DETAIL SCALE 3:1

LED HOLDER WITH COVER PART NUMBER 180250-0001



RECOMMENDED MOUNTING DIMENSIONS (NTS)

ENTER DESCRIPTION EC NO: SSL2012-0041 DRAWN: FJAKLIC CHKD: JAKLIC APPR: DMCGOWAN A1		DESCRIPTION 2011/11/01 2011/11/02	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION		
					mm	INCH	DRAWN BY FJAKLIC	DATE 2011/06/08	TITLE ILLUMITEX 500 LED HOLDER			
				4 PLACES	± ---	± ---	CHECKED BY	DATE				
				3 PLACES	± ---	± ---	APPROVED BY DMCGOWAN		DATE 2011/06/21		MOLEX INCORPORATED	
				2 PLACES	± 0.13	± ---						
				1 PLACE	± 0.25	± ---	MATERIAL NO.		DOCUMENT NO.		SHEET NO. 2 OF 2	
				ANGULAR ±1/2°								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9