



Tous droits strictement réservés. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

				1 2								
PRODUCT NO.	ROWS	POWER		SIGNAL				POWER				
		E2	P4	P3	4	3	2	1	P2		P1	E1
51770-030-- NOTE 3	D C B A		PC	PA	H	H	H	X	G	PC	PA	
					G	G	X	G				
					F	F	X	F				
					E	E	X	E				



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PA	[1.07]	POWER
H	[N/A]	SIGNAL
G	[N/A]	SIGNAL
F	[N/A]	SIGNAL
E	[N/A]	SIGNAL
PC	[2.34]	POWER
X	OMITTED	

mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com	
litr	ecn no.	dr	date	linear	0.X ±0.3		COPY			title			
A	DG07-0018	JULIA	01/15/07		0.XX ±0.13		2P + 16S + 2P						
B	DG07-0192	JULIA	05/08/07		0.XXX ±.051		R/A SOLDER RECEPTACLE						
				angles	0° ±2°		MM		product family		PwrBlade		code
				dr	JULIA WANG 01/15/07		MM		size		dwg no		213
				enrg	RYAN YUAN 01/15/07		scale		A		51770-030		sheet
				chr	BEER FU 01/15/07		1:1						1 of 4
				appd	JOSEPH HSIA 01/15/07								
sheet index	revision	B	B	B	B								
	sheet	1	2	3	4								



www.fciconnect.com

title 2P + 16S + 2P
R/A SOLDER RECEPTACLE

product family PwrBlade code 213
size dwg no 51770-030 sheet 1 of 4

cage code 22526





Pro/E

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51770-030--
NOTE 3



mat'l code SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com			
litr	ecm no.	dr	date	linear	0.X ±0.3	COPY		title 2P + 16S + 2P R/A SOLDER RECEPTACLE			
B					0.XX ±0.13	projection					
					0.XXX ±.051						
				angles	0° ±2°			product family PwrBlade			
				dr	JULIA WANG	01/15/07	MM 	size		code	
				enrg	RYAN YUAN	01/15/07		dwg no		213	
				chr	BEER FU	01/15/07		A		sheet	
				appd	JOSEPH HSIA	01/15/07	scale 1:1	51770-030		2 of 4	
sheet index	revision sheet										

cage code 22526


Pro/E



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor, Property of FCI. Copyright FCI.

PRODUCT NUMBER

51770-030__
NOTE 3

[illegible]

coge code	22526
-----------	-------

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER

51770-030__
NOTE 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED
HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
 3. PLATING:
51770-030, 51770-030LF PLATING SPEC. WAS SHOWN IN THE PRINT OF 10064183.
 4. MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON
THIS SURFACE.
 5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
 6. PACKAGED IN TRAYS.
- PCB NOTES:
7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
 8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
 9. $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH
0.008 MIN SnPb OVER 0.03
TO 0.08 Cu PLATING TO ACHIEVE
 $\varnothing 1.02 \pm 0.07$ HOLE.
 10. "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
 11. CONNECTOR KEEP-OUT ZONE.

mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER							
ltr		ecr no.	dr	date	linear	0.X ± 0.3		COPY		www.fciconnect.com					
B						0.XX ± 0.13				title 2P + 16S + 2P R/A SOLDER RECEPTACLE					
						0.XXX ± .051									
					angles	0° ± 2°		 MM scale 1:1		product family PwrBlade		code			
					dr	JULIA WANG	01/15/07					size dwg no 51770-030		213	
					enrg	RYAN YUAN	01/15/07							sheet	
					chr	BEER FU	01/15/07	4 of 4							
					appd	JOSEPH HSIA	01/15/07								
sheet index		revision sheet													

Pro/E

cage code 22526

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9