




Achieve installation and maintenance simplicity for rugged embedded VPX MIL/AERO backplane applications with the VITA 66.1 Ruggedized Optical MT Backplane Interconnect System

The VITA 66.1 Ruggedized Optical MT Backplane Interconnect System is designed to meet the ANSI ratified VITA 66.1 specification for VPX architecture. VPX (previously known as VITA 46 — an ANSI standard), provides component- and system-design recommendations to ensure compliance in military defense and other applications.

VITA 66 defines the optical requirements for VPX architecture. Molex’s VITA 66.1 Ruggedized Optical MT Backplane Interconnect System, available with two industry standard MT termini styles, is designed for blind-mate backplane applications that require optically robust interfaces with simple accessibility (no need for hand tools) to streamline MT assembly installation or regular maintenance. The anodized aluminum-based housings provide a rugged solution for use in the designated VPX card space as determined by the standard, or can be used as a stand-alone solution outside of the VPX architecture.

**VITA 66.1
Ruggedized Optical
MT Backplane
Interconnect
System**

106601 Daughtercard
Connector, Backplane
Receptacle



VITA 66.1 Ruggedized Optical MT Backplane Interconnect System

Features and Benefits

Fully compliant with the ANSI-ratified VITA 66.1 specification	Ensures complete design and function compatibility with specification
Patent-pending MT ferrule-carrier design enables field servicing without hand tools	Provides access for installation and maintenance with no service tools required. Reduces installation and maintenance time plus associated costs
Robust housing with heavy-duty anodized aluminum construction and VITA 66.1 compliant footprint	Ideal for rugged military and non-automotive commercial applications. Withstands extreme temperature ranges
Supports up to two (2) floating MT ferrules (termini)	Aids in proper mating in blind-mate applications
MT termini available in 8, 12 or 24 fibers in standard multimode and singlemode or VersaBeam™ (expanded beam MT)	Provides design flexibility with multimode and singlemode compatibility
Planned intermatibility with competitors’ products	Anticipated second source option

Specifications

Reference Information

Packaging: Bag
Mates With:
 Daughtercard Connector Mates With:
 Backplane Receptacle
 (106601-1050)
 Backplane Receptacle Mates With:
 Daughtercard Connector
 (106601-1150)
Use With:
 MT (Series 106283) and VersaBeam™
 (Series 106268) Cable Assemblies

Designed In: Millimeters
RoHS: Yes
Halogen Free: Yes


Mechanical
Insertion Force to PCB:
 10Nm per MT (20Nm total)
Mating Force:
 10Nm per MT (20 Nm total)
Unmating Force:
 < 10Nm per MT (<20 Nm total)
Durability (min.): 500 mating cycles

Physical


Housing: Aluminum
Contact: Precision plastic
Plating: Clear Anodized
PCB Thickness (max.): 4.75mm
Operating Temperature:
 MT Ferrule: -55 to +105°C
 VersaBeam Ferrule: -10 to +60°C

Additional Information


Detailed view of installation and maintenance without tools



Ease of installation and maintenance



VITA 66.1 Ruggedized Optical MT Backplane Interconnect System



Backplane application

Applications

Aerospace

- Commercial
- Defense

Military / Disaster

- Command center communications

Non-Automotive Transportation

- Rail
- Mining equipment
- Shipping

Oil and Gas Exploration

- Sensing equipment



Military / Disaster Command Center



Locomotive

Ordering Information

Series No.	Order No.	Component Type
<u>106601</u>	106601-1050	Backplane Receptacle
	106601-1150	Daughtercard Connector

www.molex.com/link/vita661.html

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9