










RECOMMENDED TERMINAL AND WIRE SEAL CHART 			
RECOMMENDED TERMINAL P/N  	PLATING	WIRE SIZE TYPE	RECOMMENDED WIRE SEAL  (CORRESPONDING TO WIRE SIZE AND TYPE)
1703032-5	GOLD	20AWG TXL	967067-1
1703032-1	TIN	20AWG TXL	967067-1
1703032-5	GOLD	18AWG TXL	967067-1
1703032-1	TIN	18AWG TXL	967067-1
1703032-5	GOLD	20AWG GXL	967067-1
1703032-1	TIN	20AWG GXL	967067-1
1703032-5	GOLD	0.75mm ²	967067-1
1703032-1	TIN	0.75mm ²	967067-1




8 MATERIAL RECESS (SEE SHEET 2 OF 2).

12 - CONTACT PINS ACCORDING TO INTERFACE DRAWING TE 114-18063 (SEE SHEET 2 OF 2)


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN : K.FOLTZ 28APR2004 CHK : 28APR2004 APPR : B.BUCHTER 28APR2004		 TE Connectivity	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0 4 PLC ±0 ANGLES ±0° 30' FINISH		NAME: PLUG ASSEMBLY, 2 POSITION, SEALED, MQS CLEAN BODY CONNECTOR -	
MATERIAL SEE TABLE		PRODUCT SPEC  APPLICATION SPEC 114-37012 WEIGHT -		SIZE CAGE CODE DRAWING NO A1 00779 C-1438608	
SEE TABLE		SEE TABLE		RESTRICTED TO -	
Customer Drawing				SCALE 4:1	SHEET 1 OF 2
				REV	G

LOC		DIST		REVISIONS			
IN	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-


creo
Creo Parametric 2.0
DO NOT REVISE
EXCEPT BY CAD




KEY CODE A
1-1438608-1 AND 1-1438608-5 AND 2-1438608-1 ONLY
SCALE 6:1



KEY CODE B
1-1438608-2 AND 1-1438608-6 ONLY
SCALE 6:1





KEY CODE C
1-1438608-3 AND 1-1438608-7 ONLY
SCALE 6:1




KEY CODE D 1:
1-1438708-4 AND 1-1438608-8 ONLY
SCALE 6:1


MATING CONNECTOR INFORMATION




CONSTRUCTION FOR PNs:
1-1438608-1 1-1438608-2
1-1438608-3 1-1438608-4
1-1438608-5 1-1438608-6
1-1438608-7 1-1438608-8
2-1438608-1




SECTION B-B




SECTION B-B



SECTION B-B




SECTION A-A




SCALE 4:1


VARIANT FOR MATERIAL
RECESS IN CODING "A"



SCALE 4:1



SCALE 4:1



SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K.FOLTZ 28APR2004	TE Connectivity	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK B.BUCHTER 28APR2004		
DIMENSIONS:		APVD B.BUCHTER 28APR2004	NAME PLUG ASSEMBLY, 2 POSITION, SEALED, MQS CLEAN BODY CONNECTOR	
mm		PRODUCT SPEC 10	SIZE A1	
MATERIAL SEE TABLE		APPLICATION SPEC 114-37012	CAGE CODE 00779	
FINISH SEE TABLE		WEIGHT -	DRAWING NO 1438608	
		Customer Drawing	RESTRICTED TO -	
		SCALE 4:1	SHEET 2 OF 2	
			REV G	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9