




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	3	modify the packaging specific	03AUG2018	E.Z	W.H


D



C



B



A


NOTES:

- MATERIAL:
 - HOUSING : HIGH TEMPERATURE THERMOPLASTIC UL94V-0, COLOR: NATURAL.
 - ACTUATOR: HIGH TEMPERATURE THERMOPLASTIC UL94V-HB, COLOR: BLACK.
 - CONTACT: COPPER ALLOY.
 - FITTING NAIL : COPPER ALLOY.
- FINISH:
 - CONTACT: GOLD PLATING 3u" MIN. ON CONTACT AREA. GOLD PLATING 1u" MIN. ON SOLDER TAILS. 50u"MIN. NICKEL UNDERPLATING OVERALL.
 - FITTING NAIL: TIN PLATING 80u" MIN. ON SOLDER TAILS. 50u" MIN. NICKEL UNDERPLATING OVERALL.
- SPECIFICATION:

VOLTAGE: 30V AC/DC
CURRENT RATING: 0.5 AMPERE
CONTACT RESISTANCE: INITIAL 50 mOHMS MAX.
AFTER TEST Δ30 mOHMS MAX.
DIELECTRIC WITHSTANGDING VOLTAGE: 250V AC/1 MINUTE;
INSULATION RESISTANCE: 500M OHMS MIN.
FFC/FPC WITHDRAWL FORCE: 0.20N PER CONTACT MIN;
FFC/FPC THICKNESS: 0.20+/-0.03mm.
- THE PRODUCT IS RoHS AND HF COMPLIANT.


△ PIN NO.

45	13.8	14.5	13.85	13.2	12.6	15.0	4-2328724-5
39	12.0	12.7	12.05	11.4	10.8	13.2	3-2328724-9
33	10.2	10.9	10.25	9.6	9.0	11.4	3-2328724-3
31	9.6	10.3	9.65	9.0	8.4	10.8	3-2328724-1
25	7.8	8.5	7.85	7.2	6.6	9.0	2-2328724-5
21	6.6	7.3	6.65	6.0	5.4	7.8	2-2328724-1
15	4.8	5.5	4.85	4.2	3.6	6.0	1-2328724-5
13	4.2	4.9	4.25	3.6	3.0	5.4	1-2328724-3
PIN NO.	DIM.F	DIM.E	DIM.D	DIM.C	DIM.B	DIM.A	PART NO.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Eliano.Zhang 29DEC2017	 TE Connectivity			
DIMENSIONS: mm		CHK Wenke.He 29DEC2017				
		APVD Wenke.He 29DEC2017	NAME FPC CONNECTOR PITCH=0.30mm FRONT FLIP			
		PRODUCT SPEC 108-115143	-			
MATERIAL -		APPLICATION SPEC -	SIZE A3	CAGE CODE -	DRAWING NO C-2328724	RESTRICTED TO -
FINISH -		WEIGHT SEE TABLE	CUSTOMER DRAWING		SCALE 10:1	SHEET 1 OF 3
					REV 3	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-


RECOMMENDED LAND PATTERN
(RECOMMENDED METAL MASK THICKNESS:T=0.1mm)




RECOMMENDED FPC



DETAI A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Eliana.Zhang	29DEC2017	 TE Connectivity			
		CHK Wenke.He	29DEC2017				
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME			
		APVD Wenke.He		FPC CONNECTOR PITCH=0.30mm			
		PRODUCT SPEC 108-115143		FRONT FLIP			
		APPLICATION SPEC					
MATERIAL -		FINISH -		SIZE A3	CAGE CODE -	DRAWING NO C-2328724	RESTRICTED TO -
		WEIGHT SEE TABLE					
CUSTOMER DRAWING				SCALE 10:1	SHEET 2 OF 3	REV 3	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



- NOTES: (APPLIED TO CURRENT SHEET)
1. THE DIRECTION OF EACH CONNECTOR ON A EMBOSS IS REFERRED TO THIS DRAWING.
 2. PACKAGED IN EMBOSS TAPE AND PLASTIC RELL 5000 PCS PER RELL.
 3. WINDING THE COVER TAPE AROUND THE OUTER PERIPHERY IN A TURN.







TABLE A

P/N	PIN NO.	Amount of packing				Weight of packing		
		DIM.A	DIM.B	Pcs/Reel	Reel/Carton	PCS/Carton	Unit weigh(g)	Net weight(kg)
1-2328724-3	13	7.50	16.00	5,000	7	35,000	0.0305	1.068
1-2328724-5	15			5,000	7	35,000	0.0345	1.208
2-2328724-1	21			5,000	7	35,000	0.0455	1.593
2-2328724-5	25			5,000	7	35,000	0.0550	1.925
3-2328724-1	31	11.50	24.00	5,000	5	25,000	0.0645	1.613
3-2328724-3	33			5,000	5	25,000	0.0665	1.663
3-2328724-9	39			5,000	5	25,000	0.0775	1.938
4-2328724-5	45			5,000	5	25,000	0.0885	2.213



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Eliana.Zhang 29DEC2017	 TE Connectivity			
		CHK Wenke.He 29DEC2017				
DIMENSIONS: mm		APVD Wenke.He 29DEC2017	NAME			
		PRODUCT SPEC 108-115143	FPC CONNECTOR PITCH=0.30mm FRONT FLIP -			
MATERIAL -	FINISH -	APPLICATION SPEC	SIZE A3	CAGE CODE -	DRAWING NO C-2328724	RESTRICTED TO -
		WEIGHT SEE TABLE				
CUSTOMER DRAWING			SCALE 10:1	SHEET 3 of 3		REV 3

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9